

Plasters and Masonry



Vetonit

Plasters and Masonry Systems

- Introduction to Saveto Plastering Systems
- Saveto Plasters & Masonry Products
- Saveto Block & Plasters Accessories





Introduction to Vetonit Plastering Systems

Saveto is a leading supplier of plaster products across Saudi Arabia, the UAE, the wider GCC, and the MENA region. We provide comprehensive, end-to-end solutions that encompass product delivery, state-of-the-art equipment, and machinery, while maintaining environmentally responsible standards as low-VOC, green products.

As material applications become more advanced and demand for skilled labor rises, traditional on-site mortar production presents new opportunities to improve performance and meet the highest quality standards.

In response, Saveto has developed state-of-the-art manufacturing facilities dedicated to producing plaster and mortar materials through precise batching and blending processes, carried out under strictly controlled conditions.

This approach allows Saveto to manufacture a wide range of dry-mix mortar products, each engineered with specific properties to meet the most demanding project requirements.

The use of Vetonit's premixed plasters and mortars ensures superior performance, offering unparalleled reliability and consistency in every application.



Vetonit Plastering Solution Benefits

Supporting real nature preservation

All products are manufactured using environmentally friendly technology by recycling any waste.

Shorter construction process

Our plasters are designed for maximum ease of use and installation, reducing construction and repair time.

Increased longevity

The chemical formulas are continuously improved to achieve even greater durability, reducing the need for frequent repairs.

Increasing the value of your property

A well-constructed building with quality materials increases its market value and helps maintain it over time.

Increased comfort

Insulated products create a comfortable indoor climate.

Protecting the building structure

Our plasters provide both decorative and protective functions, shielding the building structure and extending its lifespan.

Returning your investment

With our insulated products, you can save up to 40% on heating and cooling costs. This makes it a valuable long-term investment.

Features that benefit your health

Our products have breathable properties, allowing water vapor to escape and preventing the formation of mold and mildew.

Saveto Plastering Solution Benefits



Saveto Silo Storey Container

Transporting the material to each floor

14 m

14 m

14 m

75 m



System Advantages

- Eliminates the need for storage and stocking
- Reduces material handling to absolute minimum
- Saves time & Manpower & Space
- Ensures consistent quality of plaster products throughout the project
- The material in Silo is protected against weathering (rain, dust storms, Etc.), spillage, and theft
- Easy to operate
- Clean and healthy operation at job sites

Saveto delivery truck

Express Silo delivery to your site



Saveto Silo

6 tons of plaster in each Silo directly to your site




Saveto Silo, Conveying and Automatic Mixing System

Saveto Plaster Offers

- Technical support
- Hundreds of Silos serving the central & western region
- Hundreds of PFT machines (Germany)
- Several hundred plaster machines
- Several hundred Silomats & Silojets (Pneumatic conveying system)
- Tens of bulkers
- Production capacity in the Kingdom of Saudi Arabia several million tons per year of bulk & bagged powder products

System Advantages

- Eliminates the need for storage and stocking
- Reduces material handling to absolute minimum
- Saves time & manpower & space
- Ensures consistent quality of plaster products throughout the project
- The material in Silo is protected against weathering (rain, dust storms, Etc.), spillage, and theft
- Easy to operate
- Clean and healthy operation at job sites



Saveto bulker
Refilling at any time

Saveto WORM TYPE plastering machine
Accurately and quickly mixing the required mixture


Saveto Conveying system
High transport efficiency

Vetonit Plasters and Masonry Products

Plaster Accessories

Vetonit PCL

Plaster Coil Lath




types: Galvanised Steel, Stainless Steel
sizes: w - 100, 150, 200 mm
length: 50 m



Plaster Accessories

Vetonit PCM

Plaster Corner Mesh Lath



types: Galvanised Steel, Stainless Steel
sizes: w - 50 x 50, 75 x 75 mm
length: 3 m
packaging: 50 pcs / carton box



Vetonit Lifting System



Masonry & Grout Mortars




Masonry Grout Filler

Premixed Cementitious Masonry Grout

Premixed cement based masonry grout, ideal for filling structural masonry blocks.

Packaging: 50 kg

Yield: 28.8 Liters wet/ 1(50kg) Powder Bag



Masonry & Grout Mortars



Masonry Mortar

Premixed Cementitious Masonry Mortar


Premium quality premixed cementitious mortar, intended for fixing masonry blocks.

Packaging: 50 kg

Coverage: 15 LM / 10 mm (Solid Block 400x200x200 mm)

22 LM / 10 mm (Solid block 400x200x150 mm)

31 LM / 10 mm (Solid block 400x200x100mm)



Masonry & Grout Mortars




Vetoblock Mortar AAC

Adhesive for autoclaved aerated concrete block

Premixed masonry mortar designed for fixing AAC masonry blocks.

Packaging: 25 & 50 kg Bag

Coverage: 1.3 - 1.5 kg / m²/ 1 mm (thickness)



Vetonit Key Coat Products

premix coats



Spatter Dash SB

Cementitious Scratch Coat / Key Coat

Weather resistant premixed spatter dash, suitable for application on fair face concrete and masonry blocks.

Packaging: 50 kg Bag or Bulk

Coverage: 1.3 - 1.6 kg / m² / 1 mm (thickness)



Spatter Dash LB

Premixed Cementitious Scratch / Key Coat For Aac Surfaces

Weather resistant premixed key coat for lightweight surfaces.

Packaging: 50 kg Bag or Bulk

Coverage: 1.8 kg / m² / 1 mm (thickness)



Spatter Dash CB

Premixed Cementitious Scratch / Key Coat For fiber cement board

Weather resistant premixed key coat for cement board & non-absorbing surfaces

Packaging: 50 kg Bag or Bulk

Coverage: 1.8 kg / m² / 1 mm (thickness)



Vetonit Premix Products



Cement Plasters



Plaster Mix M

Manual Applied Premixed Plaster

Manual and spray applied premixed suitable for applications ranging in thickness between 5 - 20 mm per layer.

Packaging: 50 kg

Coverage: 1.5 kg / m² / 1 mm (thickness)



Premix Plaster S

Sprayable Cementitious Premixed Plastering/ Rendering Material

Shrinkage controlled sprayable premixed plaster, suitable for application at thicknesses ranging between 10 - 25 mm in a single layer or up to 10 -15 mm when multiple layers are applied.

Packaging: 50 kg Bag or Bulk

Yield: 31 liters



Premix Plaster SF

Cementitious Premixed Plastering/ Rendering Material

Fibre reinforced sprayable premixed plaster, suitable for application at thicknesses ranging between 10 - 25 mm.

Packaging: 50 kg Bag or Bulk

Yield: 31.25 liters



Premix Plaster LW

Premix Plaster Designed For Use With Light Weight And Aac Concrete And Block Work

Premix Plaster designed for use with light weight and AAC concrete and block work, suitable for applications at thickness ranging between 10 to 25 mm in a single layer or up to 10-15 mm when multiple layers are applied.

Packaging: 50 kg Bag or Bulk

Yield: 37 liters

Vetonit Key Coat Products



Thermal Resistant Plaster




Vetotherm Plaster

Advanced Modified
Cementitious Thermal
Insulating Plaster

Advanced modified cementitious thermal insulating plaster. Recommended thickness between 25 - 100 mm.

Packaging: 20 kg Bag or Bulk

Yield: 32 liters Wet / 20 kg Dry Bag



Thermal Resistant Plaster




Plaster Gypsum Perlite

Thermal Insulation Light
Weight Gypsum Perlite Plaster

Thermal insulation lightweight gypsum perlite plaster, applied at a thickness from 3 to 30 mm.

Packaging: 25 kg Bag or Bulk

Coverage: 1 kg / m² / 1 mm (thickness)



Thermal Resistant Plaster




Plaster Cement Perlite

Sprayable Lightweight
Premixed Plaster

Thermal insulation lightweight cement perlite plaster. Thickness of application 10 - 20 mm per layer.

Packaging: 25 kg Bag or Bulk

Coverage: 1 - 1.2 kg / m² / 1 mm (thickness)



Curve of temperature changes

Thermal Resistant Plaster




Vetotouch Monocouche

UV Resistant Pigmented Premixed Textured Plaster

UV stable pigmented premixed plaster. Thickness of application 3 - 20 mm.

Packaging: 50 kg Bag or Bulk

Yield: 32 liters



Thermal Resistant Plaster




Plaster Gypsum

High Quality Gypsum Plaster

High quality gypsum plaster. Suitable for application at thicknesses ranging between 3 - 20 mm.

Packaging: 35 kg Bag or Bulk

Coverage: 1.75 kg / m² / 1 mm (thickness)



Acoustic Plaster



Acoustic Plaster

High Quality Light Weight Premixed Acoustic Plaster

High quality lightweight premixed acoustic plaster. Thickness of application 6 - 20 mm.

Packaging: 25 kg Bag or Bulk

Coverage: 1.1 kg / m² / 1 mm (thickness)

HEAD OFFICE IN SAUDI ARABIA
Saudi Vetonit Co. Ltd. (SAVETO)

Riyadh

P.O. Box - 52235

Riyadh - 11563

2nd Industrial City

Tel: (+966) 11 265 3334

E-mail: info.riyadh@saveto.com

Jeddah

P.O. Box - 40668

Jeddah - 21511

Industrial City, Section 5

Tel: (+966) 12 637 6001

E-mail: info.jeddah@saveto.com

Dammam

P.O. Box - 76135

Dammam - 31952

2nd Industrial City, St. No. 85

Tel: (+966) 13 899 5784

E-mail: info.dammam@saveto.com

for more information visit our website
saveto.com