

Plasters and Masonry



Vetonit

Plasters and Masonry Systems

- Saveto Integrated Plastering System
- Vetonit Plasters & Masonry Products





Complete Plastering Solutions from Saveto

Saveto provides an integrated approach to plastering that combines high-performance plasters and masonry products with advanced systems for bulk delivery, storage, conveying, mixing, and application.

Manufactured under controlled conditions using precise batching and blending processes, Vetonit plasters and mortars provide consistent quality and reliable performance while reducing the variability associated with traditional on-site mortar preparation.

For large-scale projects, Saveto complements these products with an integrated plastering system designed to streamline material movement from production to the point of application.

From Production to Application

Manufacturing → Bulk Delivery → Silo Storage → Pneumatic Conveying → Mixing → Application

Why Vetonit Premixed Plasters

Consistent Quality

Factory-controlled production provides reliable and repeatable product performance.

Faster Execution

Ready-to-use dry-mix products reduce on-site preparation and help streamline application.

Reduced Material Waste

Controlled production and handling help minimize unnecessary material loss.

Durable Performance

Engineered formulations are developed to provide dependable, long-lasting results.

Specialized Solutions

A broad product portfolio addresses different substrates, applications, and performance requirements.

Lower Environmental Impact

Efficient manufacturing and low-VOC product options support more environmentally responsible construction.

For more technical information visit www.saveto.com

Saveto Integrated Plastering System

A complete system for the delivery, storage, conveying, mixing, and application

The Saveto Integrated Plastering System is designed to simplify material handling on large construction projects. Dry-mix material is delivered in bulk, stored securely in silos, conveyed to the required working level, and mixed using dedicated plastering equipment before application.

System Advantages



Protected Material Storage

Silo storage protects materials from weather, contamination, spillage, and theft.



Reduced Material Handling

Pneumatic conveying minimizes manual movement of materials around the site.



Faster Site Operations

Integrated delivery, conveying, and mixing help improve productivity and reduce labor requirements.



Consistent Mixing

Controlled material feeding and machine mixing support uniform application quality throughout the project.




Cleaner, Safer Sites

Closed material handling helps reduce dust, waste, and site congestion.



Reliable Supply & Support

Bulk replenishment and specialist technical support help maintain efficient site operations.



Vetonit Masonry Mortar Products




Masonry Grout Filler

Premixed Cementitious Masonry Grout

Premixed cement-based masonry grout, ideal for filling structural masonry blocks.

Packaging: 50 kg

Yield: 28.8 Liters wet/ 1(50kg) Powder Bag



Masonry Mortar

Premixed Cementitious Masonry Mortar


Premium quality premixed cementitious mortar, intended for fixing concrete masonry blocks.

Packaging: 50 kg

Coverage: 15 L.M / 10 mm (Solid Block 400x200x200 mm)

22 L.M / 10 mm (Solid block 400x200x150 mm)

31 L.M / 10 mm (Solid block 400x200x100mm)




Vetoblock Mortar AAC

Adhesive for autoclaved aerated concrete block

Premixed masonry mortar designed for fixing AAC masonry blocks.

Packaging: 25 & 50 kg Bag

Coverage: 1.3 - 1.5 kg / m² / 1 mm (thickness)



Masonry & Grout Mortars

Vetonit Key Coat Products



Spatter Dash SB

Cementitious Scratch Coat / Key Coat

Weather resistant premixed spatter dash, suitable for application on fair-faced concrete and masonry blocks.

Packaging: 50 kg Bag or Bulk

Coverage: 1.3 - 1.6 kg / m² / 1 mm (thickness)



Spatter Dash LB

Premixed Cementitious Scratch / Key Coat For AAC Surfaces

Weather resistant premixed key coat for AAC surfaces.

Packaging: 50 kg Bag or Bulk

Coverage: 1.8 kg / m² / 1 mm (thickness)



Spatter Dash CB

Premixed Cementitious Scratch / Key Coat For fiber cement board

Weather resistant premixed key coat for cement board & non-absorbing surfaces

Packaging: 50 kg Bag or Bulk

Coverage: 1.8 kg / m² / 1 mm (thickness)

premix coats



For more technical information visit www.saveto.com

Vetonit Plaster Products



Plaster Mix M

Manual Applied Premixed Plaster

Manua applied premixed suitable for applications ranging in thickness between 5 - 20 mm per layer.

Packaging: 50 kg
Yield: 33 liters



Premix Plaster S

Sprayable Cementitious Premixed Plastering/ Rendering Material

Shrinkage-controlled sprayable premixed plaster, suitable for application at thicknesses ranging between 10 - 25 mm in a single layer or up to 10 -15 mm when multiple layers are applied.

Packaging: 50 kg Bag or Bulk
Yield: 31 liters



Premix Plaster SF

Cementitious Premixed Plastering/ Rendering Material

Fibre reinforced sprayable premixed plaster, suitable for application at thicknesses ranging between 10 - 25 mm in a single layer or up to 10 -15 mm when multiple layers are applied.

Packaging: 50 kg Bag or Bulk
Yield: 31.25 liters



Premix Plaster LW

Premix Plaster Designed For Use With AAC Concrete And Block Work

Premix Plaster designed for use with AAC concrete and block work, suitable for applications at thickness ranging between 10 to 25 mm in a single layer or up to 10-15 mm when multiple layers are applied.

Packaging: 50 kg Bag or Bulk
Yield: 37 liters

Cement Plasters

Vetonit Specialty Plaster Products




Vetotherm Plaster

Advanced Modified Cementitious Thermal Insulating Plaster

Advanced modified cementitious thermal insulating plaster. Recommended thickness between 25 - 100 mm.

Packaging: 20 kg Bag or Bulk
Yield: 36 liters Wet / 20 kg Dry Bag




Plaster Gypsum Perlite

Lightweight gypsum perlite plaster

Thermal insulation lightweight gypsum perlite plaster, applied at a thickness from 3 to 30 mm.

Packaging: 25 kg Bag or Bulk
Coverage: 1 kg / m² / 1 mm (thickness)




Plaster Cement Perlite

Sprayable Lightweight Premixed Plaster

Thermal insulation lightweight cement perlite plaster. Thickness of application 10 - 20 mm per layer.

Packaging: 25 kg Bag or Bulk
Coverage: 1 - 1.2 kg / m² / 1 mm (thickness)



Thermal Resistant Plaster

For more technical information visit www.saveto.com


Curve of temperature changes



Vetotouch Monocouche
UV Resistant Pigmented Premixed Textured Plaster

UV stable pigmented premixed cement plaster. Thickness of application 3 - 20 mm.


Packaging: 50 kg Bag or Bulk
Yield: 32 liters



Plaster Gypsum
High Quality Gypsum Plaster

High quality gypsum plaster. Suitable for application at thicknesses ranging between 3 - 20 mm.

Packaging: 35 kg Bag or Bulk
Yield: 27 liters



Acoustic Plaster
High Quality Lightweight Premixed Acoustic Plaster

High quality lightweight premixed acoustic plaster. Thickness of application 6 - 20 mm.

Packaging: 25 kg Bag or Bulk
Yield: 28 liters

About Vetonit

Vetonit, Saveto's flagship brand, is a market leader in construction chemicals and finishing materials across the MENA region. It offers advanced solutions for flooring, waterproofing, roofing, tiling, walls and façades, and thermal insulation, among others.

Designed to meet the region's unique environmental and construction demands, Vetonit supports high-quality, sustainable building across commercial, industrial, residential, educational, high-rise, and infrastructure sectors.

Our Solutions: Tiling | Waterproofing | Flooring | Concrete Repairs | Wall & Facade | Bonding Agents & Primers | Plasters & Masonry | Thermal Insulation | Construction Grouts & Anchors | Surface Treatments & Finishes | Protective Coatings | Sealants & Joints | Sports | Specialty Adhesives | Construction Aids | Accessories & Ancillaries

HEAD OFFICE IN SAUDI ARABIA
Saudi Vetonit Co. Ltd. (SAVETO)

Riyadh

P.O. Box - 52235

Riyadh - 11563

2nd Industrial City

Tel: (+966) 11 265 3334

E-mail: info.riyadh@saveto.com

Jeddah

P.O. Box - 40668

Jeddah - 21511

Industrial City, Section 5

Tel: (+966) 12 637 6001

E-mail: info.jeddah@saveto.com

Dammam

P.O. Box - 76135

Dammam - 31952

2nd Industrial City, St. No. 85

Tel: (+966) 13 899 5784

E-mail: info.dammam@saveto.com

For more information visit our website
saveto.com